Notice of Allowability	Application No.	Applicant(s)
	10/734,648	GARABEDIAN ET AL.
	Examiner	Art Unit
	Alex B. Tov	3739
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. ☑ This communication is responsive to the After Final amendment filed on 4 October 2006. 2. ☑ The allowed claim(s) is/are 1-9 and 12-36. 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), te

DETAILED ACTION

Response to Amendment

This Office Action is in response to applicant's After Final amendment filed on October 4, 2006. All previous prior art rejections are withdrawn in view of applicant's amendment.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Regarding claim 1, line 8: replace "a outwardly" with - an outwardly -.

Regarding claim 15, line 5: replace "a outwardly" with – an outwardly –.

Cancel claims 10 and 11 since they are exact duplicates of claims 5 and 6, respectively.

Allowable Subject Matter

Claims 1-9 and 12-36 are allowed.

Application/Control Number: 10/734,648

Art Unit: 3739

.)

The following is an examiner's statement of reasons for allowance:

Regarding independent claims 1, 15, and 28, Sherry (U.S. Pat. No. 6,221,071 B1) in view of Zepeda (WO/25260) and the prior art do not disclose or suggest a medical probe with an electrode array, the electrode array configured to assume an outwardly curved shape in response to being exposed to a first temperature, and narrow to a single pointed tip in response to being exposed to a second temperature less than the first temperature. Sherry in view of Zepeda suggests expanding an electrode array by using a temperature-sensitive material. Sherry in view of Zepeda, however, does not disclose or suggest an electrode array that narrows to a single pointed tip as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alex B. Toy whose telephone number is (571) 272-1953. The examiner can normally be reached on Monday through Friday, 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda C.M. Dvorak can be reached on (571) 272-4764. The fax phone

Art Unit: 3739

j

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.